






















لیست قیمت سیستم های مدار بسته و انتقال تصاویر (HD CAMERA) Spark CCTV Systems





ردیف	عکس محصول	مدل	مشخصات فنی	قیمت واحد (تومان)
۱		SP-D922IR	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/12 VDC/ICR/DWDR ,3-DNR ,BLC,D&N,AGC ,UTC Function, Plastic	تماس با کارشناسان فروش
۲		SP-IR919	1/2.9" CMOS Sensor/2MP 1080P or TVI & AHD & CVI & CVBS/3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Plastic	
۳		SP-IR929	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function,Metal IP66	
۴		SP-D721IRV	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens / 0.1LUX/24PCS IR-20m/12 VDC/ICR/DWDR ,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66	
۵		SP-IR728	1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens/ 0.1LUX/18PCS SMD IR-20m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66	





تماس با کارشناسان فروش





	<p>1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens / 0.1LUX/18PCS SMD IR-20m/12 VDC/ICR/DWDR,3-</p>	<p>SP-IR729</p>		<p>۶</p>
	<p>1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens/ 0.1LUX/36pcs IR-30m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66</p>	<p>SP-IR738</p>		<p>۷</p>
	<p>1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens/ 0.1LUX/28pcs IR-25m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66</p>	<p>SP-IR736</p>		<p>۸</p>
	<p>1/2.9" CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens/ 0.1LUX/4 pcs Array IR-60m/ 12 VDC/ICR/DWDR,3-DNR ,BLC,D&N,AGC ,UTC Function, Metal IP66</p>	<p>SP-AR752</p>		<p>۹</p>
	<p>1/2.7" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD/4MP CVI/CVBS/2.8mm Fixed lens/ 0.01LUX/30~50m IR/12 VDC/ICR/COC/DWDR, NR,AGC,BLC,AWB,HLC,D&N,Sharpness,Metal IP67</p>	<p>SP-AR5002/TVI</p>		<p>۱۰</p>
	<p>1/2.7" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD/4MP CVI/CVBS/2.8mm Fixed lens/ 0.01LUX/20~30m IR/12 VDC/ICR/COC/DWDR, NR,AGC,BLC,AWB,HLC,D&N,Sharpness,Metal IP67</p>	<p>SP-AR5001/TVI</p>		<p>۱۱</p>
	<p>1/2.7" CMOS Sensor/5MP(2560*1936)@20fps TVI & AHD/4MP CVI/CVBS/2.8mm Fixed lens/ 0.01LUX/ 20~30m IR/12 VDC/ICR/COC/DWDR, NR,AGC,BLC,AWB,HLC,D&N,Sharpness,Metal IP67</p>	<p>SP-D5010ARV/TVI</p>		<p>۱۲</p>
	<p>1/2.8" SONYCMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/2.8mm Fixed lens/ 0.001LUX/30~50m IR/12 VDC/ICR/COC/True WDR120DB, Starlight, 3DNR,AGC,BLC,AWB,HLC,D&N,Sharpness, Motion Detection,Privacy Mask,Metal IP67</p>	<p>SP-AR4002/TVI</p>		<p>۱۳</p>

تماس با کارشناسان فروش

1/2.8"SONY CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/2.8mm Fixed lens/ 0.001LUX/20~30m IR/12 VDC/ICR/COC/True WDR120DB, Starlight, 3DNR,AGC,BLC,AWB,HLC,D&N,Sharpness,Motion Detection,Privacy Mask,Metal IP67	SP-AR4001/TVI		۱۴
1/2.8" SONYCMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/2.8mm Fixed lens/ 0.001LUX/20~30m IR/12 VDC/ICR/COC/True WDR120DB, Starlight, 3DNR,AGC,BLC,AWB,HLC,D&N,Sharpness,Motion Detection,Privacy Mask,Metal IP67	SM-D4010ARV/TVI		۱۵
1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/2.8mm Fixed lens/ 0.01LUX/20~30m IR/12 VDC/ICR/COC/DWDR, 3DNR,AGC,BLC,AWB,D&N,Metal IP67	SP-AR3001/TVI		۱۶
1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS/2.8mm Fixed lens/ 0.01LUX/20~30m IR/12 VDC/ICR/COC/DWDR, 3DNR,AGC,BLC,AWB,D&N,Metal IP67	SP-D3010ARV/TVI		۱۷
1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/ 3.6mm Fixed lens / 0.01LUX/24PCS IR-20m/12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC, Metal IP66	SP-D321IRV		۱۸
1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens /0.01LUX/18PCS SMD IR-20m/12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Plastic	SP-D322IR		۱۹
1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens /0.01LUX/18PCS SMD IR-20m/12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Metal IP66	SP-IR329		۲۰
1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens /0.01LUX/18PCS SMD IR-20m/12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Plastic	SP-IR319		۲۱

1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens /0.01LUX/28pcs IR-25m/12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Metal IP66	SP-IR336		۲۲
1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/3.6mm Fixed lens /0.01LUX/4 pcs Array IR-60m/12VDC/ICR/D-WDR,Brightness,Sharpness,Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC,Metal IP66	SP-AR352		۲۳
1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI & CVBS/18X Optical Zoom/5.35~96.3mm Varifocal lens/0.01LUX/120m IR/12 VDC-4A/ICR/DWDR,DNR,D&N,/Metal IP66	SP3-SD2018IR		۲۴
1/2.9" SONY CMOS Sensor/2MP 1080P TVI & AHD & CVI/18X Optical Zoom/4.7~84.6mm Varifocal lens/0.01LUX/60m IR/12 VDC-2A/ICR/DWDR,3DNR,BLC,HLC,D&N,Motion detection/Metal IP66	SP3-MD2018IR		۲۵
4CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080PLite & 720P(25fps) /H264+/1 Audio input - 1 Output/ 1HDDx6TB/HDMI-VGA/USB2.0*2/P2P/DDNS/Network RJ45 10* 100Mbps × 1 /Bandwidth 12Mbps	SP-XV1401L2		۲۶
8CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080PLite & 720P(12fps) & 720PLite(25fps) /1CH(Up to 9CH) IP Up to 2MP(25fps)/H264+/1 Audio input - 1 Output/1HDDx6TB/HDMI-VGA/USB2.0*2/P2P/DDNS/Network RJ45 10* 100Mbps × 1 /Bandwidth	SP-XV1801L2		۲۷
16CH TVI & CVI & AHD 2MP Live(25fps) & Record 1080PLite & 720P(12fps) & 720PLite(25fps) /2CH IP 3MP (12fps)/H264+/1 Audio input - 1 Output/1HDDx6TB/HDMI/VGA/CVBS/RS485 *1/USB2.0*2/P2P/ONVIF/DDNS/RJ45 10-100MSmart Functions	SP-XV11601M2		۲۸

<p>4CH TVI & CVI & AHD- TVI /AHD: 5MP Lite@20fps,4MP Lite / 1080P / 720P / WD1 real time previewCVI: 1080P / 720P / WD1 real time preview /H.265/HDMI × 1 / VGA × 1 /CVBS / Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL),1080P Lite/720P/WD1@25fps (PAL)/ 2CH(Up to 6CH) IP Up to 5MP/ 25fps (PAL)Audio IN RCA × 1 / OUT RCA × 1 / Network RJ45 10* 100Mbps × 1 /Bandwidth16Mbps(Max.36Mbps)/ HDD SATA × 1, up to 6TB /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2 /Power DC12V / 1.5ASmart Functions</p>	<p>SP-XV1401M5</p>		<p>۲۹</p>
<p>8CH TVI & CVI & AHD- TVI /AHD: 5MP Lite@20fps,4MP Lite / 1080P / 720P / WD1 real time previewCVI: 1080P / 720P / WD1 real time preview /H.265/HDMI × 1 / VGA × 1 /CVBS / Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL),1080P Lite/720P/WD1@25fps (PAL)/ 4CH(Up to 12CH) IP Up to 5MP/ 25fps (PAL)Audio IN RCA × 1 / OUT RCA × 1 / Network RJ45 10* 100Mbps × 1 /Bandwidth 32Mbps(Max.60Mbps)/ HDD SATA × 1, up to 6TB /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2/Power DC12V / 2ASmart Functions</p>	<p>SP-XV1801M5</p>		<p>۳۰</p>
<p>16CH TVI & CVI & AHD- TVI /AHD: 5MP Lite@20fps,4MP Lite / 1080P / 720P / WD1 real time previewCVI: 1080P / 720P / WD1 real time preview/H.265/HDMI × 1 / VGA × 1 /CVBS / Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL),1080P Lite/720P/WD1@25fps (PAL)/ 8CH(Up to 16CH) IP Up to 5MP/ 25fps (PAL)Audio IN RCA × 8 / OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH /Network RJ45 10* 100* 1000Mbps × 1/Bandwidth 32Mbps(Max.64Mbps) / HDD SATA × 2, E-SATA × 1, up to 8TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2/Power DC12V / 4ASmart Functions</p>	<p>SP-XV21608M5</p>		<p>۳۱</p>
<p>4CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P/WD1 real time previewH.265/4K HDMI-VGA-CVBS / Record 4K@6fps(only CH 1 support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P/WD1@25fps/ 2CH(Up to 6CH) IP Up to 8MP(25fps)Audio IN RCA × 1 - OUT RCA × 1 / Network RJ45 10* 100Mbps × 1 /Bandwidth16Mbps(Max.40Mbps)/ HDD SATA × 1, up to 6TB /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2/P2P/DDNS/Smart Functions</p>	<p>SP-XV1401H5</p>		<p>۳۲</p>

<p>8CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P/WD1 real time previewH.265/4K HDMI-VGA-CVBS / Record 4K@6fps(all channels support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P/WD1@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps)Audio IN RCA × 1 - OUT RCA × 1 / Network RJ45 10* 100Mbps × 1 /Bandwidth32Mbps(Max.64Mbps)/ HDD SATA × 1, up to 8TB /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2/P2P/DDNS/Smart Functions</p>	<p>SP-XV1801H5</p>		<p>۳۳</p>
<p>16CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P/WD1 real time previewH.265/4K HDMI-VGA-CVBS / Record 4K@6fps(all channels support), 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P/WD1@25fps/ 8CH(Up to 16CH) IP Up to 8MP(25fps)Audio IN RCA × 1 - OUT RCA × 1 / Network RJ45 1000Mbps × 1 /Bandwidth32Mbps(Max.64Mbps)/ HDD SATA × 2, up to 8TB /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2/P2P/DDNS/Smart Functions</p>	<p>SP-XV21601H5</p>		<p>۳۴</p>
<p>4MP Lite / 1080P / 720P / WD1 real time previewCVI: 1080P / 720P / WD1 real time preview /H.265/HDMI × 1 / VGA × 1 /CVBS / Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL),1080P Lite/720P/WD1@25fps (PAL)/ 8CH(Up to 24CH) IP Up to 5MP/ 25fps (PAL)Audio IN RCA × 16 / OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH /Network RJ45 10* 100*1000Mbps × 1 / Bandwidth 40Mbps(Max.88Mbps) / HDD SATA × 4, E-SATA × 1, up to 8TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2</p>	<p>SP-XV43216M5</p>		<p>۳۵</p>
<p>32CH TVI & CVI & AHD- TVI /AHD: 5MP Lite@20fps,4MP Lite / 1080P / 720P / WD1 real time previewCVI: 1080P / 720P / WD1 real time preview /H.265/HDMI × 1 / VGA × 1 /CVBS / Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL),1080P Lite/720P/WD1@25fps (PAL)/ 8CH(Up to 24CH) IP Up to 5MP/ 25fps (PAL)Audio IN RCA × 16 / OUT RCA × 1 / Alarm IN 16 CH / OUT4 CH /Network RJ45 10* 100*1000Mbps × 1 /Bandwidth 40Mbps(Max.88Mbps)/ HDD SATA × 8, E-SATA × 1, up to 8TB Per HDD /RS485 × 1, connect to PTZ or keyboard / USB 2.0 × 2</p>	<p>SP-XV83216M5</p>		<p>۳۶</p>
